

Descrizione

Sono disponibili i relativi tappi femmina MB e maschio VB.

I raccordi sono realizzati in AISI 316.

Sono disponibili nelle versioni da 2" 3" e 4".

Le guarnizioni sono realizzate in Buna, Hypalon, Viton o PTFE.

La parte femmina MK e la parte maschio VK sono disponibili filettate e con portagomma.

Applicazioni

Sono dei prodotti molto duttili e vengono utilizzati per una vastità di applicazioni che variano dal settore chimico, petrolifero, farmaceutico comprendendo anche le industrie cartarie, cementiere e siderurgiche.

MK Raccordo Rapido femmina filettato femmina con leva



DIAMETRO	FILETTO GAS	MATERIALE
2"	G2	Ottone
3"	G3	Ottone
4"	G4	Ottone

MK Raccordo Rapido femmina filettato femmina con leva



DIAMETRO	FILETTO GAS	MATERIALE
2"	G2	AISI 316
3"	G3	AISI 316
4"	G4	AISI 316

VK Raccordo Rapido maschio filettato femmina



DIAMETRO	FILETTO GAS	MATERIALE
2"	G2	Ottone
3"	G3	Ottone
4"	G4	Ottone

VK Raccordo Rapido maschio filettato femmina



DIAMETRO	FILETTO GAS	MATERIALE
2"	G2	AISI 316
3"	G3	AISI 316
4"	G4	AISI 316



MKH Anello di chiusura con leve

DIAMETRO	MATERIALE
2"	Ottone
3"	Ottone



MKH Anello di chiusura con leve

DIAMETRO	MATERIALE
2"	AISI 316
3"	AISI 316



MKH Anello di chiusura con leve

DIAMETRO	FILETTO GAS	MATERIALE
2"	G2	Ottone
3"	G3	Ottone



MKH Anello di chiusura con leve

DIAMETRO	FILETTO GAS	MATERIALE
2"	G2	AISI 316
3"	G3	AISI 316



MB Tappo femmina

DIAMETRO	MATERIALE
2"	Ottone
3"	Ottone



DIAMETRO	MATERIALE
2"	AISI 316
3"	AISI 316



DIAMETRO	MATERIALE
2"	Alluminio
3"	Alluminio



VB Tappo maschio

DIAMETRO	MATERIALE
2"	Ottone
3"	Ottone



DIAMETRO	MATERIALE
2"	AISI 316
3"	AISI 316



DIAMETRO	MATERIALE
2"	Polypropylene
3"	Polypropylene

MKST Raccordo Rapido femmina con leve e portagomma



DIAMETRO	PER TUBO	MATERIALE
2"	50	Ottone
3"	75	Ottone

MKST Raccordo Rapido femmina con leve e portagomma



DIAMETRO	PER TUBO	MATERIALE
2"	50	AISI 316
3"	75	AISI 316

VKST Raccordo Rapido maschio con portagomma




DIAMETRO	PER TUBO	MATERIALE
2"	50	Ottone
3"	75	Ottone

VKST Raccordo Rapido maschio con portagomma



DIAMETRO	PER TUBO	MATERIALE
2"	50	AISI 316
3"	75	AISI 316





Description

The relevant MB female and VB male caps are available.

The fittings are made of AISI 316.

They are available in 2" 3" and 4" versions.

The seals are made of Buna, Hypalon, FKM or PTFE.

The MK female part and the VK male part are available threaded and with hose connection.

Applications

They are very ductile products and are used for a vast variety of applications ranging from the chemical sector, oil, pharmaceutical, including the paper, cement and steel industries

MK Quick Connector
female threaded female
with lever



DIAMETER	GAS THREAD	MATERIAL
2"	G2	Brass
3"	G3	Brass
4"	G4	Brass

MK Quick Connector
female threaded female
with lever



DIAMETER	GAS THREAD	MATERIAL
2"	G2	AISI 316
3"	G3	AISI 316
4"	G4	AISI 316

VK Male female threaded
quick coupling



DIAMETER	GAS THREAD	MATERIAL
2"	G2	Brass
3"	G3	Brass
4"	G4	Brass

VK Male female threaded
quick coupling



DIAMETER	GAS THREAD	MATERIAL
2"	G2	AISI 316
3"	G3	AISI 316
4"	G4	AISI 316



MKH Locking ring with levers

DIAMETER	MATERIAL
2"	Brass
3"	Brass



MKH Locking ring with levers

DIAMETER	MATERIAL
2"	AISI 316
3"	AISI 316



MKH Locking ring with levers

DIAMETER	GAS THREAD	MATERIAL
2"	G2	Brass
3"	G3	Brass



MKH Locking ring with levers

DIAMETER	GAS THREAD	MATERIAL
2"	G2	AISI 316
3"	G3	AISI 316



MB Female Cap

DIAMETER	MATERIAL
2"	Brass
3"	Brass



DIAMETER	MATERIAL
2"	AISI 316
3"	AISI 316



DIAMETER	MATERIAL
2"	Aluminum
3"	Aluminum



VB Male Cap

DIAMETER	MATERIAL
2"	Brass
3"	Brass



DIAMETER	MATERIAL
2"	AISI 316
3"	AISI 316



DIAMETER	MATERIAL
2"	Polypropylene
3"	Polypropylene

MKST Quick Connector female with levers and hose holder



DIAMETER	HOSE DIAM.	MATERIAL
2"	50	Brass
3"	75	Brass

MKST Quick Connector female with levers and hose holder



DIAMETER	HOSE DIAM.	MATERIAL
2"	50	AISI 316
3"	75	AISI 316

VKST Male quick coupling with hose holder



DIAMETER	HOSE DIAM.	MATERIAL
2"	50	Brass
3"	75	Brass

VKST Male quick coupling with hose holder



DIAMETER	HOSE DIAM.	MATERIAL
2"	50	AISI 316
3"	75	AISI 316

